



ICD-9-CM Code	ICD-10-CM Code(s)
<b>250.00</b>	Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled <b>E11.9</b> Type 2 diabetes mellitus without complications
<b>401.9</b>	Essential hypertension, unspecified <b>I10</b> Essential (primary) hypertension
<b>272.4</b>	Other and unspecified hyperlipidemia
ICD-10-CM Codes	<b>E78.4</b> Other hyperlipidemia <b>E78.5</b> Hyperlipidemia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: <b>E78.0</b> Pure hypercholesterolemia <b>E78.1</b> Pure hyperglyceridemia <b>E78.2</b> Mixed hyperlipidemia <b>E78.3</b> Hyperchylomicronemia <b>E78.6</b> Lipoprotein deficiency
<b>724.5</b>	Backache, unspecified
ICD-10-CM Codes	<b>M54.9</b> Dorsalgia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: <b>M54.89</b> Other dorsalgia <b>M54.6</b> Pain in thoracic spine <b>M54.5</b> Low back pain <b>M53.3</b> Sacrococcygeal disorders, not elsewhere classified
<b>V70.0</b>	Routine general medical examination at a health care facility
ICD-10-CM Codes	<b>Z00.00</b> Encounter for general adult medical examination without abnormal findings <b>Z00.01</b> Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings
<b>496</b>	Chronic airway obstruction, not elsewhere classified
ICD-10-CM Codes	<b>J44.9</b> Chronic obstructive pulmonary disease, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>J44.0</b> Chronic obstructive pulmonary disease with acute lower respiratory infection **Use additional code to identify the infection <b>J44.1</b> Chronic obstructive pulmonary disease with (acute) exacerbation ** Code also type of asthma, if applicable ( <b>J45.-</b> ) ** Use additional code to identify: Exposure to environmental tobacco smoke ( <b>Z77.22</b> ) History of tobacco use ( <b>Z87.891</b> ) Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17.-</b> ) Tobacco use ( <b>Z72.0</b> )
<b>V72.83</b>	Other specified preoperative examination <b>Z01.818</b> Encounter for other preprocedural examination
<b>427.31</b>	Atrial fibrillation
ICD-10-CM Codes	<b>I48.0</b> Paroxysmal atrial fibrillation <b>I48.1</b> Persistent atrial fibrillation <b>I48.2</b> Chronic atrial fibrillation <b>I48.91</b> Unspecified atrial fibrillation

ICD-9-CM Code	ICD-10-CM Code(s)
<b>789.00</b>	Abdominal pain, unspecified site
ICD-10-CM Codes	<b>R10.9</b> Unspecified abdominal pain *There are more specific code choice selections available in ICD-10-CM. These include: <b>R10.0</b> Acute abdomen <b>R10.10</b> Upper abdominal pain, unspecified <b>R10.11</b> Right upper quadrant pain <b>R10.12</b> Left upper quadrant pain <b>R10.13</b> Epigastric pain <b>R10.2</b> Pelvic and perineal pain <b>R10.30</b> Lower abdominal pain, unspecified <b>R10.31</b> Right lower quadrant pain <b>R10.32</b> Left lower quadrant pain <b>R10.33</b> Periumbilical pain <b>R10.84</b> Generalized abdominal pain
<b>786.2</b>	Cough <b>R05</b> Cough
<b>414.00</b>	Coronary atherosclerosis of unspecified type of vessel, native or graft
ICD-10-CM Codes	No map (No ICD-10 code exists for unspecified vessel; native or bypass graft must be indicated)
<b>338.4</b>	Chronic pain syndrome
ICD-10-CM Codes	<b>G89.4</b> Chronic pain syndrome * Code also related psychological factors associated with pain ( <b>F54.42-</b> )
<b>V04.81</b>	Need for prophylactic vaccination and inoculation against influenza virus
ICD-10-CM Codes	<b>Z23</b> Encounter for immunization **Code first any routine childhood examination
<b>599.0</b>	Urinary tract infection, site not specified
ICD-10-CM Codes	<b>N39.0</b> Urinary tract infection, site not specified ** Use additional code ( <b>B95-B97</b> ) to identify infectious agent *There are more specific code choice selections available in ICD-10-CM. These include: <b>N30.00</b> Acute cystitis without hematuria <b>N30.01</b> Acute cystitis with hematuria <b>N30.10</b> Interstitial cystitis chronic without hematuria <b>N30.11</b> Interstitial cystitis chronic with hematuria <b>N30.20</b> Other chronic cystitis without hematuria <b>N30.21</b> Other chronic cystitis with hematuria <b>N30.30</b> Trigonitis without hematuria <b>N30.31</b> Trigonitis with hematuria <b>N30.40</b> Irradiation cystitis without hematuria <b>N30.41</b> Irradiation cystitis with hematuria <b>N30.80</b> Other cystitis without hematuria <b>N30.81</b> Other cystitis with hematuria <b>N30.90</b> Cystitis, unspecified without hematuria <b>N30.91</b> Cystitis, unspecified with hematuria <b>N15.9</b> Renal tubulo-interstitial disease, unspecified <b>N34.1</b> Nonspecific urethritis <b>N34.2</b> Other urethritis



ICD-9-CM Code	ICD-10-CM Code(s)
<b>300.00</b>	Anxiety state, unspecified
ICD-10-CM Codes	<b>F41.9</b> Anxiety disorder, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: <b>F41.1</b> Generalized anxiety disorder <b>F41.8</b> Other specified anxiety disorders
<b>311</b>	Depressive disorder, not elsewhere classified
ICD-10-CM Codes	<b>F32.9</b> Major depressive disorder, single episode, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: <b>F32.0</b> Major depressive disorder, single episode, mild <b>F32.1</b> Major depressive disorder, single episode, moderate <b>F32.2</b> Major depressive disorder, single episode, severe without psychotic features <b>F32.3</b> Major depressive disorder, single episode, severe with psychotic features <b>F32.4</b> Major depressive disorder, single episode, in partial remission <b>F32.5</b> Major depressive disorder, single episode, in full remission <b>F32.8</b> Other depressive episodes
<b>530.81</b>	Esophageal reflux
ICD-10-CM Codes	<b>K21.9</b> Gastro-esophageal reflux disease without esophagitis <b>K21.0</b> Gastro-esophageal reflux disease with esophagitis
<b>729.5</b>	Pain in limb
ICD-10-CM Codes	<b>M79.609</b> Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: <b>M79.601</b> Pain in right arm <b>M79.602</b> Pain in left arm <b>M79.603</b> Pain in arm, unspecified <b>M79.604</b> Pain in right leg <b>M79.605</b> Pain in left leg <b>M79.606</b> Pain in leg, unspecified <b>M79.621</b> Pain in right upper arm <b>M79.622</b> Pain in left upper arm <b>M79.629</b> Pain in unspecified upper arm <b>M79.631</b> Pain in right forearm <b>M79.632</b> Pain in left forearm <b>M79.639</b> Pain in unspecified forearm <b>M79.641</b> Pain in right hand <b>M79.642</b> Pain in left hand <b>M79.643</b> Pain in unspecified hand <b>M79.644</b> Pain in right finger(s) <b>M79.645</b> Pain in left finger(s) <b>M79.646</b> Pain in unspecified finger(s) <b>M79.651</b> Pain in right thigh <b>M79.652</b> Pain in left thigh <b>M79.659</b> Pain in unspecified thigh <b>M79.661</b> Pain in right lower leg <b>M79.662</b> Pain in left lower leg <b>M79.669</b> Pain in unspecified lower leg <b>M79.671</b> Pain in right foot <b>M79.672</b> Pain in left foot <b>M79.673</b> Pain in unspecified foot <b>M79.674</b> Pain in right toe(s) <b>M79.675</b> Pain in left toe(s) <b>M79.676</b> Pain in unspecified toe(s)

ICD-9-CM Code	ICD-10-CM Code(s)
<b>786.50</b>	Chest pain, unspecified
ICD-10-CM Codes	<b>R07.9</b> Chest pain, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: <b>R07.1</b> Chest pain on breathing <b>R07.2</b> Precordial pain <b>R07.81</b> Pleurodynia <b>R07.89</b> Other chest pain
<b>780.79</b>	Other malaise and fatigue
ICD-10-CM Codes	<b>R53.0</b> Neoplasm (malignant) related fatigue **Code first associated neoplasm <b>R53.1</b> Weakness <b>R53.81</b> Other malaise <b>R53.83</b> Other fatigue <b>G93.3</b> Postviral fatigue syndrome
<b>465.9</b>	Acute upper respiratory infections of unspecified site
ICD-10-CM Codes	<b>J06.9</b> Acute upper respiratory infection, unspecified <b>J39.8</b> Other specified diseases of upper respiratory tract
<b>486</b>	Pneumonia, organism unspecified
ICD-10-CM Codes	<b>J18.9</b> Pneumonia, unspecified organism ** Code first associated influenza, if applicable ( <b>J09.X1</b> , <b>J10.0-</b> – <b>J11.0-</b> )
<b>466.0</b>	Acute bronchitis
ICD-10-CM Codes	<b>J20.9</b> Acute bronchitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>J20.0</b> Acute bronchitis due to Mycoplasma pneumoniae <b>J20.1</b> Acute bronchitis due to Hemophilus influenzae <b>J20.2</b> Acute bronchitis due to streptococcus <b>J20.3</b> Acute bronchitis due to coxsackievirus <b>J20.4</b> Acute bronchitis due to parainfluenza virus <b>J20.5</b> Acute bronchitis due to respiratory syncytial virus <b>J20.6</b> Acute bronchitis due to rhinovirus <b>J20.7</b> Acute bronchitis due to echovirus <b>J20.8</b> Acute bronchitis due to other specified organisms
<b>719.46</b>	Pain in joint, lower leg
ICD-10-CM Codes	<b>M25.561</b> Pain in right knee <b>M25.562</b> Pain in left knee <b>M25.569</b> Pain in unspecified knee
<b>428.0</b>	Congestive heart failure, unspecified
ICD-10-CM Codes	<b>I50.9</b> Heart failure, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: <b>I50.1</b> Left ventricular failure <b>I50.21</b> Acute systolic (congestive) heart failure <b>I50.22</b> Chronic systolic (congestive) heart failure <b>I50.23</b> Acute on chronic systolic (congestive) heart failure <b>I50.30</b> Unspecified diastolic (congestive) heart failure



ICD-9-CM Code	ICD-10-CM Code(s)
<b>428.0</b> (cont.)	Congestive heart failure, unspecified
ICD-10-CM Codes (cont.)	<p><b>I50.31</b> Acute diastolic (congestive) heart failure  <b>I50.32</b> Chronic diastolic (congestive) heart failure  <b>I50.33</b> Acute on chronic diastolic (congestive) heart failure  <b>I50.40</b> Unspecified combined systolic (congestive) and diastolic (congestive) heart failure  <b>I50.41</b> Acute combined systolic (congestive) and diastolic (congestive) heart failure  <b>I50.42</b> Chronic combined systolic (congestive) and diastolic (congestive) heart failure  <b>I50.43</b> Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure</p> <p>**Code first:  heart failure complicating abortion or ectopic or molar pregnancy (<b>O00-O07, O08.8</b>)  heart failure following surgery (<b>I97.13-</b>)  heart failure due to hypertension (<b>I11.0</b>)  heart failure due to hypertension with chronic kidney disease (<b>I13-</b>)  obstetric surgery and procedures (<b>O75.4</b>)  rheumatic heart failure (<b>I09.81</b>)</p>
<b>780.4</b>	Dizziness and giddiness <b>R42</b> Dizziness and giddiness
<b>461.9</b>	Acute sinusitis, unspecified
ICD-10-CM Codes	<p><b>J01.90</b> Acute sinusitis, unspecified  **Use additional code (<b>B95-B97</b>) to identify infectious agent</p> <p>* There are more specific code choice selections available in ICD-10-CM. These include:  <b>J01.00</b> Acute maxillary sinusitis, unspecified  <b>J01.10</b> Acute frontal sinusitis, unspecified  <b>J01.20</b> Acute ethmoidal sinusitis, unspecified  <b>J01.30</b> Acute sphenoidal sinusitis, unspecified  <b>J01.40</b> Acute pansinusitis, unspecified  <b>J01.80</b> Other acute sinusitis</p>
<b>782.3</b>	Edema
ICD-10-CM Codes	<p><b>R60.0</b> Localized edema  <b>R60.1</b> Generalized edema  <b>R60.9</b> Edema, unspecified</p>
<b>477.9</b>	Allergic rhinitis, cause unspecified
ICD-10-CM Codes	<p><b>J30.9</b> Allergic rhinitis, unspecified  * There are more specific code choice selections available in ICD-10-CM. These include:  <b>J30.0</b> Vasomotor rhinitis  <b>J30.1</b> Allergic rhinitis due to pollen  <b>J30.2</b> Other seasonal allergic rhinitis  <b>J30.5</b> Allergic rhinitis due to food  <b>J30.81</b> Allergic rhinitis due to animal (cat) (dog) hair and dander  <b>J30.89</b> Other allergic rhinitis</p>
<b>719.41</b>	Pain in joint, shoulder region
ICD-10-CM Codes	<p><b>M25.511</b> Pain in right shoulder  <b>M25.512</b> Pain in left shoulder  <b>M25.519</b> Pain in unspecified shoulder</p>
<b>784.0</b>	Headache <b>R51</b> Headache

ICD-9-CM Code	ICD-10-CM Code(s)
<b>380.4</b>	Impacted cerumen
ICD-10-CM Codes	<p><b>H61.21</b> Impacted cerumen, right ear  <b>H61.22</b> Impacted cerumen, left ear  <b>H61.23</b> Impacted cerumen, bilateral  <b>H61.20</b> Impacted cerumen, unspecified ear</p>
<b>462</b>	Acute pharyngitis
ICD-10-CM Codes	<p><b>J02.8</b> Acute pharyngitis due to other specified organisms  ** Use additional code (<b>B95-B97</b>) to identify infectious agent  <b>J02.0</b> Streptococcal pharyngitis  <b>J02.9</b> Acute pharyngitis, unspecified</p>
<b>723.1</b>	Cervicalgia <b>M54.2</b> Cervicalgia
<b>285.9</b>	Anemia, unspecified
ICD-10-CM Codes	<p><b>D64.9</b> Anemia, unspecified  * There are more specific code choice selections available in ICD-10-CM. These include:  <b>D64.0</b> Hereditary sideroblastic anemia  <b>D64.1</b> Secondary sideroblastic anemia due to disease  ** Code first underlying disease  <b>D64.2</b> Secondary sideroblastic anemia due to drugs and toxins  ** Code first poisoning due to drug or toxin, if applicable (<b>T36-T65</b> with fifth or sixth character 1-4 or 6)  Use additional code for adverse effect, if applicable, to identify drug (<b>T36-T50</b> with fifth or sixth character 5)  <b>D64.3</b> Other sideroblastic anemias (anemia is plural in code descriptor)  <b>D64.81</b> Anemia due to antineoplastic chemotherapy  <b>D64.89</b> Other specified anemias</p>
<b>782.1</b>	Rash and other non-specific skin eruption <b>R21</b> Rash and other nonspecific skin eruption
<b>787.91</b>	Diarrhea <b>R19.7</b> Diarrhea, unspecified
<b>493.90</b>	Asthma, unspecified
ICD-10-CM Codes	<p><b>J45.909</b> Unspecified asthma, uncomplicated  **Use additional code to identify:  exposure to environmental tobacco smoke (<b>Z77.22</b>)  exposure to tobacco smoke in the perinatal period (<b>P96.81</b>)  history of tobacco use (<b>Z87.891</b>)  occupational exposure to environmental tobacco smoke (<b>Z57.31</b>)  tobacco dependence (<b>F17-</b>)  tobacco use (<b>Z72.0</b>)</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:  <b>J45.20</b> Mild intermittent asthma, uncomplicated  <b>J45.21</b> Mild intermittent asthma with (acute) exacerbation  <b>J45.22</b> Mild intermittent asthma with status asthmaticus  <b>J45.30</b> Mild persistent asthma, uncomplicated  <b>J45.31</b> Mild persistent asthma with (acute) exacerbation  <b>J45.32</b> Mild persistent asthma with status asthmaticus  <b>J45.40</b> Moderate persistent asthma, uncomplicated  <b>J45.41</b> Moderate persistent asthma with (acute) exacerbation  <b>J45.42</b> Moderate persistent asthma with status asthmaticus  <b>J45.50</b> Severe persistent asthma, uncomplicated</p>



ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

<b>493.90</b>	Asthma, unspecified ... (cont.)
ICD-10-CM Codes (cont.)	<b>J45.51</b> Severe persistent asthma with (acute) exacerbation <b>J45.52</b> Severe persistent asthma with status asthmaticus <b>J45.901</b> Unspecified asthma with (acute) exacerbation <b>J45.902</b> Unspecified asthma with status asthmaticus <b>J45.990</b> Exercise induced bronchospasm <b>J45.991</b> Cough variant asthma <b>J45.998</b> Other asthma

<b>490</b>	Bronchitis, not specified as acute or chronic
ICD-10-CM Codes	<b>J40</b> Bronchitis, not specified as acute or chronic ** Use additional code to identify: Exposure to environmental tobacco smoke ( <b>Z77.22</b> ) Exposure to tobacco smoke in the perinatal period ( <b>P96.81</b> ) History of tobacco use ( <b>Z87.891</b> ) Occupational exposure to environmental tobacco smoke ( <b>Z57.31</b> ) Tobacco dependence ( <b>F17.-</b> ) Tobacco use ( <b>Z72.0</b> ) ** There are more specific code choice selections available in ICD-10-CM. These include: <b>J20.0</b> Acute bronchitis due to Mycoplasma pneumoniae <b>J20.1</b> Acute bronchitis due to Hemophilus influenzae <b>J20.2</b> Acute bronchitis due to streptococcus <b>J20.3</b> Acute bronchitis due to coxsackievirus <b>J20.4</b> Acute bronchitis due to parainfluenza virus <b>J20.5</b> Acute bronchitis due to respiratory syncytial virus <b>J20.6</b> Acute bronchitis due to rhinovirus <b>J20.7</b> Acute bronchitis due to echovirus <b>J20.8</b> Acute bronchitis due to other specified organisms <b>J20.9</b> Acute bronchitis, unspecified <b>J41.0</b> Simple chronic bronchitis <b>J41.1</b> Mucopurulent chronic bronchitis <b>J41.8</b> Mixed simple and mucopurulent chronic bronchitis <b>J42</b> Unspecified chronic bronchitis

<b>493.00</b>	Extrinsic asthma, unspecified
ICD-10-CM Codes	<b>J45.901</b> Unspecified asthma with (acute) exacerbation <b>J45.902</b> Unspecified asthma with status asthmaticus <b>J45.909</b> Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)

ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

<b>244.9</b>	Unspecified hypothyroidism
ICD-10-CM Codes	<b>E03.9</b> Hypothyroidism, unspecified * There are more specific code choice selections available ICD-10-CM. These include: <b>E03.0</b> Congenital hypothyroidism with diffuse goiter <b>E03.1</b> Congenital hypothyroidism without goiter <b>E03.2</b> Hypothyroidism due to medicaments and other exogenous substances ** Code first poisoning due to drug or toxin, if applicable ( <b>T36-T65</b> with fifth or sixth character 1-4 or 6) Use additional code for adverse effect, if applicable, to identify drug ( <b>T36-T50</b> with fifth or sixth character 5) <b>E03.3</b> Postinfectious hypothyroidism <b>E03.4</b> Atrophy of thyroid (acquired) <b>E03.5</b> Myxedema coma <b>E03.8</b> Other specified hypothyroidism

<b>788.1</b>	Dysuria	<b>R30.0</b> Dysuria
<b>786.05</b>	Shortness of breath	<b>R06.02</b> Shortness of breath

<b>309.9</b>	Unspecified adjustment reaction	
ICD-10-CM Codes	<b>F43.20</b> Adjustment disorder, unspecified * There are more specific code choice selections available ICD-10-CM. These include: <b>F43.21</b> Adjustment disorder with depressed mood <b>F43.22</b> Adjustment disorder with anxiety <b>F43.23</b> Adjustment disorder with mixed anxiety and depressed mood <b>F43.24</b> Adjustment disorder with disturbance of conduct <b>F43.25</b> Adjustment disorder with mixed disturbance of emotions and conduct <b>F43.29</b> Adjustment disorder with other symptoms	

<b>719.45</b>	Pain in joint, pelvic region and thigh	
ICD-10-CM Codes	<b>M25.551</b> Pain in right hip <b>M25.552</b> Pain in left hip <b>M25.559</b> Pain in unspecified hip	

<b>786.09</b>	Other symptoms involving respiratory system and other chest symptoms	
---------------	--	--

ICD-10-CM Codes	<b>R06.83</b> Snoring <b>R06.00</b> Dyspnea, unspecified <b>R06.3</b> Periodic breathing <b>R06.4</b> Hyperventilation <b>R06.89</b> Other abnormalities of breathing	
-----------------	---	--



ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

<b>692.9</b>	Contact dermatitis and other eczema, unspecified cause
ICD-10-CM Codes	<p><b>L25.9</b> Unspecified contact dermatitis, unspecified nature                  ** Use additional code for adverse effect, if applicable, to identify drug (<b>T36-T50</b> with fifth or sixth character 5)</p> <p><b>L30.9</b> Dermatitis, unspecified</p> <p>* There are more specific code choice selections available ICD-10-CM. These include:</p> <p><b>L25.0</b> Unspecified contact dermatitis due to cosmetics  <b>L25.1</b> Unspecified contact dermatitis due to drugs in contact with skin  <b>L25.2</b> Unspecified contact dermatitis due to dyes  <b>L25.3</b> Unspecified contact dermatitis due to other chemical products  <b>L25.4</b> Unspecified contact dermatitis due to food in contact with skin  <b>L25.5</b> Unspecified contact dermatitis due to plants, except food  <b>L25.8</b> Unspecified contact dermatitis due to other agents</p> <p>** Use additional code for adverse effect, if applicable, to identify drug (<b>T36-T50</b> with fifth or sixth character 5)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

<b>724.2</b>	Lumbago	<b>M54.5</b> Low back pain
<b>682.6</b>	Cellulitis and abscess leg, except foot	
ICD-10-CM Codes	<p><b>L03.115</b> Cellulitis of right lower limb  <b>L03.116</b> Cellulitis of left lower limb  <b>L03.119</b> Cellulitis of unspecified part of limb  <b>L03.125</b> Acute lymphangitis of right lower limb  <b>L03.126</b> Acute lymphangitis of left lower limb  <b>L03.129</b> Acute lymphangitis of unspecified part of limb</p>	
<b>455.5</b>	External hemorrhoids with complication NEC	
ICD-10-CM Codes	<p><b>K64.4</b> Residual hemorrhoidal skin tags  <b>K64.5</b> Perianal venous thrombosis</p>	

*Fast Forward*  
to ICD-10



*Fast Forward*

*to ICD-10*

